

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)

2. REPORT TYPE

Technical Papers

3. DATES COVERED (From - To)

4. TITLE AND SUBTITLE

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

5d. PROJECT NUMBER

2302

5e. TASK NUMBER

0378

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

8. PERFORMING ORGANIZATION
REPORT

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

10. SPONSOR/MONITOR'S
ACRONYM(S)

11. SPONSOR/MONITOR'S
NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

20030130 164

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:

a. REPORT

Unclassified

b. ABSTRACT

Unclassified

c. THIS PAGE

Unclassified

17. LIMITATION
OF ABSTRACT

A

18. NUMBER
OF PAGES

19a. NAME OF RESPONSIBLE
PERSON

Leilani Richardson

19b. TELEPHONE NUMBER

(include area code)
(661) 275-5015

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std. Z39.18

4 different

papers enclosed for Task # 78

* Paper Rec'd After 30-day Deadline = 23 days until Deadline

MEMORANDUM FOR PRS (In-House Publication)

FROM: PROI (STINFO)

01 Nov 2002

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-AB-2002-261**
C.T. Liu (PRSM) et al., "Investigating the Effects of Confining Pressure on Cumulative Damage and the Constitutive Behavior of a Particulate Composite Material" (abstract only)

9th Int'l Conf. on the Mechanical Behavior of Materials
(Geneva, Switzerland, 25-29 May 2003) (Deadline: 22 Nov 02)

(Statement A)

Investigating the Effects of Confining Pressure on Cumulative Damage and the Constitutive Behavior of a Particulate Composite Material

C.T. Liu

Air Force Research Laboratory
10 East Saturn Boulevard
Edwards AFB CA 93524-7680, U.S.A.

M. Yen

Material Technology Center
Southern Illinois University at Carbondale
Carbondale, Illinois, U.S.A.

It is well known that, on the microscopic scale, a highly filled polymeric material can be considered a nonhomogeneous material. When this material is strained, depending on the magnitude of local stress and local strength, damage may be developed in the material. The damage developed in the material may be in the form of microvoids or microcracks in the binder or in the form of dewetting between the binder and the filler particle. The developed damage will not be confined to a specific location, rather it will diffuse into a relatively large area or zone. The growth of the damage in the material may occur by material tearing or by successive nucleation and coalescence of the microvoids.

Throughout the loading history, the progressive development and interaction of various damage modes change the state of the material and the response of the structures. In addition to the microdamage, large cracks can also develop in the material either during the manufacturing processes or by service loads. Therefore, to effectively use the material in structural applications one needs to understand the damage initiation and evolution processes, the effects of damage and crack development on the material's response, and the remaining strength and life of the structures.

In past years, a considerable amount of effort was spent in obtaining a fundamental understanding of the effects of strain rate on damage processes and the constitutive behavior in highly filled polymeric materials at ambient pressure. In this study, the effects of confining pressure on damage processes and the constitutive behavior of a particulate composite material, containing hard particles embedded in a rubbery matrix, were investigated. A series of constant strain rate tests were conducted at three different displacement rates, 5.08 cm./min., 127 cm./min., and 508 cm./min., under 6.97 MPa confining pressure. A linear cumulative theory was used to determine the cumulative damage as a function of time under different loading conditions. The experimental data were analyzed to determine the relationship between the cumulative damage and the constitutive behavior of the material. The results of the analyses were discussed.